




Update to the Mobile Site and Native App Accessibility Testing Guidelines

www.accessibilityoz.com



Land acknowledgement

Acknowledge Yuggera
as the traditional
owners of this land.





Meet our team



- Dyslexia
- Moderate vision impairment
- Severe vision impairment
- Epilepsy
- Migraines
- Physical impairment
- Fibromyalgia
- Multiple Sclerosis
- Crohn's Disease
- PTSD
- Autism
- Long COVID



@accessibilityoz

**It's not just
about vision
impairments**



About Gian

1998

Worked on first accessible
website in Australia

Created Australia's first automated
accessibility testing tool

Invited Expert to W3C
WCAG2 Working Group

Worked on Melbourne 2006
Commonwealth Games

Managed Usability and
Accessibility Services at Monash
University

Founded AccessibilityOz



Released OzPlayer



Released OzArt



Spoke at the United Nations
on web accessibility

Inducted into the Australia's
Hall of Fame as Accessibility
Person of the Year 2019

Chair of Mobile
Accessibility Testing
Guidelines

A little background...

www.accessibilityoz.com





Why did we develop this methodology?

Introduction

ICT Accessibility Testing Symposium has developed a methodology for evaluating the accessibility of mobile web sites. This document is an amalgamation of accepted mobile accessibility testing standards from around the world, including additional developments from the ICT Accessibility Testing Symposium's Mobile Sub-Committee.



What about WCAG2.1 (and WCAG2.2)?

WCAG2

WCAG2 success criteria are applicable to mobile, however, not all aspects of mobile accessibility are specifically covered by WCAG2. For example, although WCAG2 requires sites to be accessible to the keyboard user, it does not specify that it should also be accessible to the touchscreen user.

WCAG2.1 (and WCAG2.2)

WCAG2.1 (and WCAG2.2) builds on this and addresses more criteria related to touch screen (pointer gestures), sensors and small screen devices, however it still does not cover all user needs related to mobile accessibility.

Please note that this methodology does not include those errors already included in **WCAG2** but does include those errors in **WCAG2.1** (or **WCAG2.2**)



Where can you find these?

Mobile Site Testing Methodology

There are two overview documents:

- [Mobile Site Accessibility Testing Methodology \(Word, 5.48 MB\)](#)
- [About Mobile Site Testing – Devices, assistive technologies, site types, variations of a page and capturing errors \(Word, 23.4 MB\)](#)

There are three sets of test cases documents, which detail how to test a particular requirement in the methodology, why it is important and example passes of the requirement:

- [Mobile Site Accessibility Testing Methodology – Critical Test Cases \(Word, 22.3 MB\)](#)
- [Mobile Site Accessibility Testing Methodology – Test Cases \(Word, 90.77 MB\)](#)
- [Mobile Site Accessibility Testing Methodology – Test cases for assistive technologies and mobile features \(Word, 48.14 MB\)](#)

You can download the guidelines at
www.accessibilityoz.com/resources/mobile-testing/
www.accessibilityoz.com



Mobile issues

Mobile accessibility features

- Native screen readers
 - TalkBack (Android)
 - VoiceOver (iOS)
- Volume control
- Haptic keyboard
- Visual, auditory and vibrational notifications
- Screen rotation
- Mono audio
- Voice Control
- Increase text and display size
- Reduction of motion
- Zoom
- Reader view / Simplified view

Page variations

As part of WCAG2, zooming to 200% should already be included in regular testing (and therefore is not included in this methodology).


Low vision users (who use the zoom function inherent in the browser) are often restricted to a mobile view of the site on their desktop.



**Therefore it is
essential that
functionality is not
removed due to a
variation in the
page.**

WCAG2.1 page variations

WCAG Conformance Requirement – Full Pages – Page variations



WCAG2 Accessibility Supported

WCAG Conformance Requirement - Accessibility Support - Implementation techniques that supports Assistive technology used on mobile devices such as Talkback, VoiceOver, and switch control. (Also applicable to WCAG 2.0)

What does A11y Supported mean for mobile?

Testing (especially Native Apps) with the following assistive technologies on mobile must be conducted

Android assistive technologies and features

- TalkBack
- Keyboard
- Keyboard and switch
- Magnification
- Remove animations
- Color Inversion
- Grayscale
- Color Correction
- Increase display size
- Increase font size
- Increase text size (with Chrome)
- Simplified view (mobile sites only)

iPhone assistive technologies and features

- VoiceOver
- Keyboard
- Keyboard and switch
- Zoom
- Reduce Motion
- Invert colours
- Grayscale
- Larger text (native app only)
- Reader view (mobile site only)
- Reader view and increase text size (mobile site only)

iPad assistive technologies and features

- VoiceOver
- Keyboard
- Keyboard and switch
- Zoom
- Reduce Motion
- Invert colours
- Grayscale
- Larger text (native app only)
- Reader view (mobile site only)
- Reader view and increase text size (mobile site only)



Testing methods

Testing methods – Mobile Sites

There are four main testing methods in mobile testing:

- **Devices:** test on mobile and tablet devices
- **Devices with assistive technology:** test on mobile and tablet devices with assistive technologies
- **Responsive Window:** test on responsively sized window on desktop
- **Desktop:** test on desktop


Testing methods – Native App

There are two main testing methods in native app:

- **Devices:** test on mobile and tablet devices
- **Devices with assistive technology:** test on mobile and tablet devices with assistive technologies

Test with real devices

I don't feel safe giving you my contact details...





Mobile Site & Native App Testing Methodologies

Mobile Site Testing Methodology Overview

Step 1: Identify devices

Step 2: Identify site type and variations

Step 3: Test critical issues

Step 4: Test mobile-specific issues

Step 5: Test mobile assistive technology and feature support

Native App Testing Methodology Overview

Step 1: Identify devices

Step 2: Define application functionality

Step 3: Test critical issues

Step 4: Test mobile-specific issues

Step 5: Test mobile assistive technology and feature support

1. Identify devices



Determining which devices to test on

In the United States, Australia, and other western countries, iOS devices are most popular. In Asia and other eastern countries, Android devices are most popular. To best find which devices to test on, review the Google Analytics or other analytics system for the requisite web site.

Choosing devices

Due to the popularity of the Android system, there are tens of thousands of Android operating systems and browser combinations available. It is not possible to test on all these systems.

The “Internet” browser that comes pre-packaged with most Samsung phones is very dependent on the operating system itself and it is a better representation to test with Chrome.



**Even if the site is a
desktop site, people
will still use that
desktop site on
mobile**

Devices with assistive technologies

It is important to remember that even assistive technologies that work across desktop and devices may behave differently on each system, and therefore they still need to be tested on mobile and tablet devices.

For the latest information on screen reader usage, please see the [WebAIM Screen Reader Survey](#).

Additional device screen readers

Samsung includes an additional screen reader called “Voice Assistant,” however TalkBack is still available as part of the Accessibility Suite. Amazon Fire also utilizes a different screen reader called “Voice View”.

Identify devices

Recommended devices and browser combinations:

- iPhone, (Safari)
- iPad, (Safari)
- Android phone, (Chrome)

Identify devices

Other devices to consider

- Android tablet, Chrome
- Alternative devices such as a Kindle device

Identify devices

Test on the latest version of iOS and iPadOS.

Test on latest two versions of Android.

When a site is directly aimed at people with a particular kind of disability, consider including assistive devices and/or other assistive technologies used by potential users.

You need to meet
WCAG2 and this
mobile testing
methodology

www.accessibilityoz.com



2. Identify site type & variations of the page



Identify site type and variations

Is the site:

- Desktop
- M.dot
- Responsive

If the site is responsive, are there variations of the page?

Three types of mobile sites

Desktop web sites: that have only one display, whether viewed on desktop or mobile or tablet device

m.dot sites: that have a particular display for mobile and tablet sites. The m.dot site must also be tested against the entirety of WCAG2, **in addition** to the standard www version of the site.


Responsive web sites: that change depending on the screen size or other feature as determined by the developer

Example of a desktop site



Example of a desktop site


The site is a desktop site if the content does not change as you drag the browser window narrower. In most cases you will see a horizontal scrollbar at the bottom of the page.




Steps to identify an m.dot site

1. Ask the client
2. Change the URL to start with “m.” instead of “www.”
3. Compare the site on desktop to the site on a mobile device.


Example desktop site




Example m.dot site



Desktop



m.dot




Responsive web sites

Please note that it is most likely that a site is responsive. If a site is responsive, it is definitely not a desktop site. However, it is possible (but very unlikely) that there is also a m.dot web site.

Identifying a responsive web site


The site is responsive if the layout changes as you change the browser window size. To test this, open the web site in a browser, ensure the window is not maximized, and select the right-hand edge and drag it to the center of the screen.

Example of a responsive web site – desktop



Example of a responsive web site – mobile

If elements in the page move around, then the site is responsive. Another way to tell is if the navigation disappears and is replaced with a hamburger menu.



2. Define application functionality



Define application functionality

Through your understanding of the purpose of the native app, define which functionality is critical to its purpose and use and that must be tested for efficacy, operability, and workflow from a user experience perspective.

Define application functionality

Ask the question: how would the experience be impacted if the functionality failed, the content could not be reached, and or the experience caused a barrier to the user?

Prioritise. All functionality should be accessible within the native app; however, it is important to define and include the critical functionality for each individual app to be prioritised in your testing.

Common elements to test

- Navigation
- Landing screen(s)
- Emergency sections
- Login flows
- Settings
- Account and profile
- Contact Us
- Real-time updates
- Privacy policy, Terms and Conditions
- Interactional functionality
- Help section
- Widgets (calendars, etc)
- Geo-locational maps
- High-traffic areas

Find these
methodologies on
the **AccessibilityOz**
web site under the
Resources menu item

www.accessibilityoz.com



3. Test critical issues



New features means new traps

Trap: Where a user is trapped within a component and cannot escape without closing the browser or app.

There are many more traps in mobile sites and native apps than on desktop.

Traps identified

- Exit trap
- Swipe / Scroll trap
- Text-to-speech trap
- Headset trap
- Layer trap

Exit trap


Ensure there is always an accessible actionable item (e.g. a close button that meets colour contrast requirements and has an accessible name) that closes any feature that overlays the current page (such as a full-page ad).

Applies to: All users

Methodology: Mobile Site and Native App


Exit trap

No way to close the feature (usually an ad)



Exit trap

Close button does not meet colour contrast or touch target size requirements



Swipe / Scroll trap


Ensure you do not override standard mobile touch functions (swiping, scrolling, etc.) on the majority of the page.

Applies to: Touch users

Methodology: Mobile Site and Native App

Swipe / Scroll trap

The zoom of doom



Text-to-speech trap


If the app has an ability to provide content via text-to-speech, the screen reader user must be able to pause or stop the app speaking in a simple manner, e.g. by performing a swipe on a screen.

Applies to: Screen reader users

Methodology: Native App

Text-to-speech trap

Once activated, screen reader users cannot stop the TTS



Headset trap


Headset users must always be able to pause media (audio or video) content by using the Pause/Play control on the headset.

Applies to: Screen reader users, Headset users

Methodology: Mobile Site and Native App

Headset trap

Cannot pause the audio using headset hardware (pause on the headset pauses the screen reader)



Layer trap


The user should not be trapped on a non-visible layer.

Applies to: All users (but mostly encountered by screen reader users and sometimes keyboard users)

Methodology: Mobile Site and Native App

Layer trap

Screen reader user cannot access the menu. Focus stays on the parent layer.



Find details of each
Trap on the
AccessibilityOz Blog
(<https://tinyurl.com/3mnjm25h>)

www.accessibilityoz.com



4. Test mobile-specific issues



Categories in Step 4

- Alternatives
- Display
- Actionable items
- Navigational aids
- Audio and video
- Forms
- Mobile / desktop interaction (mobile sites only)

Let's see an example from the document



Touch gestures

Any touch gesture must have an alternative, accessible, actionable item (for more information see SC 2.5.1: Pointer Gestures).

Examples of touch gestures

- Swiping up and down or left and right
- Dragging up and down or left and right
- Double-tapping
- Tap and hold
- Tap and swipe
- Two pinch zoom
- Press and long hold

Examples of alternative, accessible gestures

- A link
- A button
- A dropdown
- A separate page with the same functionality

About this requirement

This requirement is particularly important for screen reader users. For example, if you require your user to swipe right to complete a purchase, when the screen reader is on, the swipe right gesture moves you to the next focusable item and doesn't complete the purchase. You must be able to perform the same action, by using a link, an up or down swipe, or some other gesture.

About this requirement

Please note that this requirement is similar to the Exit Trap requirement. A failure of the Exit Trap requirement is that a user cannot escape from content or a page. A failure of the Touch Gestures requirement is that the user cannot choose content or a page (i.e. they are not trapped).


How to test

Identify any site controls. If they require any of the following gestures, is there an accessible actionable item provided as an alternative?

- Swiping up and down or left and right or dragging up and down or left and right
- Double-tapping or two-pinch zoom
- Tap and hold or tap and swipe
- Press and long hold


Pass Example

Alternative is provided
on another page



Pass Example

Tap alternative is provided instead of drag gesture



Test mobile assistive technology and feature support



Test mobile assistive technology and features

All actionable items and content can be accessed and activated by the following assistive technologies (or when the following feature is enabled)

Android assistive technologies and features

- TalkBack
- Keyboard
- Keyboard and switch
- Magnification
- Remove animations
- Color Inversion
- Grayscale
- Color Correction
- Increase display size
- Increase font size
- Increase text size (with Chrome)
- Simplified view (mobile sites only)

iPhone assistive technologies and features



- VoiceOver
- Keyboard
- Keyboard and switch
- Zoom
- Reduce Motion
- Invert colours
- Grayscale
- Larger text (native app only)
- Reader view (mobile site only)
- Reader view and increase text size (mobile site only)

iPad assistive technologies and features

- VoiceOver
- Keyboard
- Keyboard and switch
- Zoom
- Reduce Motion
- Invert colours
- Grayscale
- Larger text (native app only)
- Reader view (mobile site only)
- Reader view and increase text size (mobile site only)

VoiceOver (iOS)

Names are not
descriptive



VoiceOver (iOS)

Names are missing





Keyboard order





TalkBack (Android)

Activation does not move focus to next logical item





Grayscale (Android)

Actionable item is not clear



Increase text size (iOS)

Text content does not increase in size without overlap



What's next?



What's next?

- Updates from WCAG2.2
- Additional assistive technology / mobile assistive features
- Review of existing test cases
- Removal of some assistive technology / mobile assistive features
- Creation of online resource



Thank you for coming today

Find these
methodologies on
the **AccessibilityOz**
web site under the
Resources menu item

www.accessibilityoz.com



Questions?





@accessibilityoz



AccessibilityOz



**enquiries
@accessibilityoz.com**